



# Citizen Lake Monitoring Report



Report year: 2025

Waterbody name: Des Moines Lake

WBIC: 2674200

Station ID: 073118

County: Burnett


Lake area: 215 acres

Max. depth: 37 feet


Lake type: Deep Seepage

This report summarizes data routinely collected by the Citizen Lake Monitoring Network.

- p. 2–3: Plots summarizing the trophic status and clarity of this lake over time.
- p. 4–6: Trends over time in water clarity, total phosphorus, and chlorophyll–a
- p. 7+: Tables of observations made during the selected report year, and temperature and dissolved oxygen profiles.



## Trophic State




Trophic state indices (TSI) indicate the amount of nutrients in the lake. The TSI equations use late summer (July 15 - September 15) averages of Secchi depth, total phosphorus, and chlorophyll- $\alpha$ .

Eutrophic: excess nutrients, lower clarity, and greater risk of harmful algal blooms and hypoxia (low oxygen)

Mesotrophic: moderate levels of nutrients, moderate clarity

Oligotrophic: low levels of nutrients, high clarity, lower risk of hypoxia


## Average Annual Water Clarity (July and August only)



Secchi disc depth is a measure of water clarity made by measuring the depth at which a black and white disc is just barely visible in the water. The above figure shows average Secchi disc depths calculated from all **July and August** readings each year. Low values indicate low water clarity, which can be caused by nutrients fueling the growth of algae, by particles suspended in the water, or from dark staining by dissolved tannins (naturally occurring compounds in leaves).

## Trends in Secchi Depth Over Time

### Des Moines Lake – Deep Hole – 073118



Secchi depth exhibits no trend over time in early summer and late summer. Not enough data to calculate trends in spring and fall.

## **Trends in Total Phosphorus Over Time**

Not enough data to evaluate trends in total phosphorus

## **Trends in Chlorophyll-a Over Time**

Not enough data to evaluate trends in chlorophyll-a

## Trophic State Index Samples and Observations

Date	Secchi depth (ft)	Secchi hit bottom	TSI_Secchi	Total phosphorus (mg/L)	TSI_TotalP	Chlorophyll-a (ug/L)	TSI_Chla	Water color	Water clarity	User perception
2025-05-03	30.00	no	28					BLUE	CLEAR	1
2025-05-26	21.00	no	33					GREEN	CLEAR	1
2025-06-22		no		0.010	46	0.97	35			
2025-06-29	17.00	no	36					GREEN	CLEAR	1
2025-07-18	15.00	no	38					GREEN	CLEAR	2
2025-07-27	17.00	no	36					BLUE	CLEAR	1
2025-08-29	19.00	no	35					BLUE	CLEAR	1

User perception rating	Meaning
1	Beautiful, could not be nicer
2	Very minor aesthetic problems
3	Enjoyment somewhat impaired (algae)
4	Would not swim but boating OK (algae)
5	Enjoyment substantially impaired (algae)

## Temperature and Dissolved Oxygen Data

[1] "No temp / DO data in 2025"

## Temperature and Dissolved Oxygen Data

```
## [1] "No temp / DO data in 2025"
```

The plot on the left shows how temperature changes from the lake surface (at the top of the plot) to the lake bottom on each sampling date. The plot on the right shows how dissolved oxygen changes from the surface to the bottom. Look for seasonal changes. In spring and fall, most lakes will have steady temperatures and oxygen concentrations throughout the water column. In summer, some lakes will warm near the top and remain cool near the bottom. Those lakes may also have low concentrations of oxygen near the lake bottom.